

ALTEC LANSING SPEAKERS, HOME THEATER & DOCKING SYSTEMS, & EARPHONES

updated: October 7, 2009

Please read our **Ordering & Purchasing Guide** at <http://howtobuy.ecmix.com> for your reference when ordering from us.

Prices are all in Philippine Peso currency and is subject to change anytime without notice.

Product specifications and designs are subject to change anytime without notice upon the discretion of the brand manufacturer.

For your inquiries and orders, please contact E-C Mix Records at the following:




email: sales@ecmix.com | landphone: (63)(2)43.ECMIX | mobile phone: +63.917.88.ECMIX | website: www.ecmix.com

		DESCRIPTION	PRICE
COMPUTER AUDIO			
2.0 SPEAKERS			
	BXR1120	3 Watts RMS	PHP 1,325.00
	VS1520	Speakers interlock to fit under flat screen, EQ tone control, Front panel headphone jack, 6 watts RMS	PHP 1,975.00
	VS2620	5 Watts RMS	PHP 1,610.00
	FX2020 expressionist™ CLASSIC	Two 3" full-range drivers, Crystal clear sound, Built-in controls, AUX in jack, 15 watts RMS	PHP 4,475.00
2.1 SPEAKERS			
	BXR1221	9 Watts RMS	PHP 1,920.00




	VS2521	2.5" ported speakers, Powerful, space-saving, 5.25" subwoofer, 28 watts RMS	PHP 3,400.00
	VS2621	28 Watts RMS	PHP 3,175.00
	VS4121	Serious Power, Impressive bass, Crisp high end, 31 watts RMS	PHP 3,800.00
	FX3021 expressionist™ PLUS	36 Watts RMS	PHP 4,675.00
	FX3022AA expressionist™ BASS	World's first 2.2 system, Built-in 4" subwoofers in each satellite, Striking desktop looks, 25 watts RMS	PHP 6,700.00
SOUND BAR			
	FX3020	Immersive, Crystal-clear Sound, Expanded Sound Stage, Powerful bass XdB Technolgy, Headphone jack	PHP 5,870.00
HOME THEATER SYSTEM			
	PT7031	Surround sound, Theater quality sound, Enhanced connectivity, Universal remote. Wall mountable design, 75 watts	PHP 38,500.00
	PT8051	Wireless digital surround sound, Enhanced connectivity, Three analog inputs, Theater quality sound, 125 watts RMS	PHP 57,250.00

AUDIO DOCKING



MOBILE PHONES / IPHONE SPEAKERS

	IMT237	Incredible volume & clarity, 360-degree sound field, Total Connectivity, Rugged Design	PHP 1,900.00
	IMT217	Sound clarity w/ depth, 360-degree sound field, Nokia XpressMusic compatible	PHP 1,900.00
	T612	For iPhone or iPod, Wireless remote control, EQ indicator LED's, 60 watts RMS	PHP 11,000.00






IPOD SPEAKERS WITH FM RADIO

	M302AA moondance™ HOME	iPod touch 1st-2nd gen, iPod classic, iPod w/ video, iPod nano 1st-4th gen, iPod w/ color display, iPod mini, iPod with click wheel, With dual alarms, w/ wireless remote	PHP 5,150.00
	M402 moondance™ GLOW	iPod touch 1st-2nd gen, iPod classic, iPod w/ video, iPod nano 1st-4th gen, iPod w/ color display, iPod mini, iPod with click wheel, Mood lighting & wireless snooze remote	PHP 9,200.00
	IM600	iPod touch 1st-2nd gen, iPod classic, iPod w/ video, iPod nano 1st-4th gen, iPod w/ color display, iPod mini, iPod with click wheel	PHP 8,225.00



LAPTOP SPEAKERS

	XT1	Slim, portable design, USB-powered, big sound for laptops, Quality bass, Built-in control & auxiliary input jack, 1.5 watts	PHP 5,650.00
	XT2	USB-powered, big sound for laptops, Built-in microphone for VoIP & interactive gaming w/ automatic feedback cancellation, Built-in control & auxiliary input jack, 4 watts	PHP 5,850.00



iPOD SPEAKERS

	IM300	iPod nano, iPod Mini, 4th gen iPod w/ click wheel, 3rd gen iPod w/ click wheel, 4 watts RMS	PHP 4,500.00
	IM3	Speaker for iPod Mini and iPod Nano	PHP 7,050.00
	IM9	iPod Nano, iPod Mini, iPod Video, iPod w/ color display, MaxxBass Technology, Shock resistant design, comes w/ back pack	PHP 9,150.00
	M602	iPod Nano, iPod Mini, iPod Video, iPod w/ color display, xdB bass Technology, Wireless remote & built-in controls, Wall mountable design, 60 watts RMS	PHP 12,350.00
	IM7	Adjust to fit all dockable iPod models, links iPod video & iPod photo players to most TV set, XdB Technology, Auxillary input for MP3 players/laptops, 50 watts RMS	PHP 14,990.00

HEADPHONES**CLASSIC HEADPHONES**

	CHP227	Ear clip style stereo earphones, 15mm high power neodymium earphone, secure-feel ear clips, Interchangeable color ear pads, Gold plated 3.5mm connector, protective pouch for travelling convenience	PHP 1,090.00
	CHP524	Gold plated connector, 40mm neodymium drivers for high out put, Light configuration, Includes in line volume control, RCA stereo jack	PHP 1,985.00



UPGRADER SERIES

	UHP101	Snugfit earbuds w/ memory foam pads, Moisture-resistant design, Neoprene carry case, Gold plated plug, Tangle-free cloth cord	PHP 1,900.00
	UHP307	Airfit's open aire design to keep you in touch w/ your surroundings, Soft fitting & adjustable ear hanger for a personalized fit washable silicon ear caps	PHP 2,150.00


MUZX SERIES

	MUZX116	Made w/ Crystalized Swarobski elements, Powerful 15mm neodymium micro-speakers, Standard gold plated 3.5mm connector	PHP 1,300.00
	MUZX126	Powerful 9mm neodymium speakers, Comfortable snugfit noise-isolating, MP3, Ipod & Iphone compatible, Gold plated for superior sound transfer	PHP 1,350.00

IN MOTION SERIES

 <small>Technology By ETYMOTIC RESEARCH</small>	IM716	InMotion earphones w/ Etymotic Research Technology, Combination of near-perferct sound reproduction & dead-quiet noise isolation, In-line volume control	PHP 6,040.00
 <small>Technology By ETYMOTIC RESEARCH</small>	IM616	InMotion earphones w/ Etymotic, Research Technology, Combination of near-perferct sound, reproduction & dead-quiet noise isolation, Enhanced bass, Studio quality sound	PHP 7,040.00

CREATIVE SPEAKERS

	Gigaworks THX S750	Gigaworks G550W	Gigaworks G500	Gigaworks HD50	Gigaworks T40	Gigaworks T20	
GIGAWORKS							
Frequency Response	25Hz ~ 40kHz	35Hz ~ 20kHz	35Hz ~ 20kHz		50Hz ~ 20kHz		
Signal-to-Noise Ratio (SNR):	99dB	85dB	85dB		80db		
RMS Sat:	70w x 6 - ch	36w x 4 - ch	36w x 4 - ch	7w	14 Watts	14w	
RMS SUB:	210w	130w	130w	--	--	--	
RMS Center:	70w	36w	36w	--	--	--	
Total Power	500w	310w	310w				
Features	Bass Control, Treble Control, Rear Volume Control, HP Jack, Super tweeter	Bass Control, Treble Control, Rear Volume Control, HP Jack	Bass Control, Treble Control, Rear Volume Control, HP Jack	Headphone Jack, Magnetic shielding, Super Tweeter	Headphone Jack, Magnetic shielding, Treble control, Bass control, with tweeter	Headphone Jack, Magnetic shielding, Treble control, Bass control, with tweeter	
PRICE	28,999.00	23,999.00	14,999.00	6,999.00	6,999.00	3,499.00	
	Inspire T7900	Inspire T6100	Inspire M5300	Inspire T3200	Inspire T10	Inspire T3100	Inspire T3000
INSPIRE							
Frequency Response	40Hz ~ 20kHz	40Hz ~ 20kHz	40Hz ~ 20kHz	40Hz ~ 20kHz	80Hz ~ 20 kHz	40Hz ~ 20kHz	40Hz-20kHz
Signal-to-Noise Ratio (SNR):	80dB	80dB	80dB	75dB	80dB	80dB	80dB
RMS Sat:	8w x 6 - ch	8w x 4 - ch	6w x 4 - ch	6w	5w x 2 - ch	6w x 2 - ch	6w
RMS SUB:	24w	26w	17w	17w	--	17w	17w
RMS Center:	20w	18w	6w	--	--	--	--
Total Watts	92w	76w	47w	29w	10w	29w	with tweeter
Features	Bass control, HP jack, with tweeter	Bass control, with tweeter	Bass control	MP3 cradle, volume control, bass control, HP jack	Headphone Jack, Magnetic shielding, Treble control, with tweeter	Bass control, HP jack, has tweeter	
PRICE	6,999.00	4,299.00	3,999.00	3,299.00	2,049.00	1,899.00	1,399.00
	SBS A500	SBS A300	SBS 380	SBS 245	SBS A30		

					
Frequency Response	45Hz ~ 20kHz	40Hz ~ 20 kHz	50Hz-20kHz	90Hz ~ 20kHz	100Hz-20kHz
Signal-to-Noise Ratio (SNR):	75dB	75dB	75dB		75dB
RMS Sat:	8w x 6 - ch	8w x 4 - ch	6w x 4 - ch	5w x 2 - ch	6w x 2 - ch
RMS SUB:	17 Watts RMS	11 Watts RMS	6W		
RMS Center:	--	--	--	--	--
Total Watts					
Features	Bass control, Volume control,	Bass control, Volume control,	Bass control, Power control, volume control, Headphone output	Magnetic shielding	Magnetic Shielding
PRICE	2,899.00	1,299.00	999.00	499.00	399.00
	TravelSound 250	TravelSound 400			
					
Frequency Response	150Hz ~20kHz				
Signal-to-Noise Ratio (SNR):	80 db	80dB			
Speaker Power	1.5 Watts RMS	2 Watts RMS			
	2 Channels	2 Channels			
Colors	Black/White	Black/White			
PRICE	1,699.00	2,599.00			
	I-Trigue 3400	I-Trigue 200			
					
Frequency Response	30Hz ~ 20kHz	110Hz ~ 20kHz			
Signal-to-Noise Ratio (SNR):	80dB	77dB			
RMS Sat:	8.5w x 2 - ch	2w			
RMS SUB:	24w	--			
RMS Center:		--			
Total Power	41w				

Features	Bass Control, HP Jack	Headphone jack and Volume control
PRICE	3,999.00	1,699.00

Please read our Ordering & Purchasing Guide at <http://howtobuy.ecmix.com> for your reference when ordering from us.
Prices are all in Philippine Peso currency and is subject to change anytime without notice.
Product specifications and designs are subject to change anytime without notice upon the discretion of the brand manufacturer.
For your inquiries and orders, please contact E-C Mix Records at the following:
email: sales@ecmix.com | landphone: (63)(2)43.ECMIX | mobile phone: +63.917.88.ECMIX | website: www.ecmix.com

www.ecmix.com

JBL SPEAKERS

last update April 29, 2010

Please read our **Ordering & Purchasing Guide** at <http://howtobuy.ecmix.com> for your reference when ordering from us.

Prices are all in Philippine Peso currency and is subject to change anytime without notice.

Product specifications and designs are subject to change anytime without notice upon the discretion of the brand manufacturer.


For your inquiries and orders, please contact E-C Mix Records at the following:

email: sales@ecmix.com | landphone: (63)(2)43.ECMIX | mobile phone: +63.917.88.ECMIX | website: www.ecmix.com

DOCKING



Model PRICE	On Stage Micro 4,495	On Stage IIIP 6,995	On Stage 200ID 5,995	On Stage 400P 8,995
Features	RC	RC	RC	RC DSP
Technology	Odyssey Transducers Slipstream Port Design COE OCT	Odyssey Transducers Slipstream Port Design COE OCT	Phoenix Transducer Slipstream Port Design COE OCT Evercharge Topology	Atlas & Odyssey Transducers
Specifications				
Color	White, Black or Aluminum	White or Black	Black or Aluminum	ipod/iphone/multimedia
Compatibility	ipod/Multimedia	ipod/iphone/multimedia	ipod/iphone/multimedia	15 Watts per channel
Power Output	2x3 Watts - 12hr	2X10 Watts - 12hr	2x10 Watts	
Battery Type	AA Battery	AA Battery		
Frequency Response	70Hz - 20kHz	70Hz - 20kHz	40Hz – 20kHz	40Hz – 20kHz
Input Impedance	>10k Ohms	>10k Ohms	>10k Ohms	>10k Ohms
Signal-to-noise Ratio	>85dB	>85dB	>85dB	>85dB
Voltage Input	110V – 240V AC	100 - 230V AC or 6xAA cells	100 - 230V AC	110V – 240V AC



Model	On Time 200p	Radial	Radial Micro5	HK Go + Play5
PRICE	7,995	10,995	5,995	12,995
Features	AM/FM Radio Alarm Clock RC	OnePoint Design Evercharge Topology RC, TOUCH CONTROL TV Connector	OnePoint Design Evercharge Topology RC, TOUCH CONTROL	Evercharge Topology RC, DSP, TOUCH CONTROL
Technology	Phoenix & Ridge Transducers COE, OCT	Odyssey Transducers COE, OCT	Odyssey Transducers COE, OCT	Atlas & Ridge Transducers
Specifications				
Color	Black	White or Black with Chrome Accents	White or Black	Black
Compatibility	ipod/iphone/Multimedia	ipod/Multimedia	ipod/iphone/Multimedia	ipod/iphone/Multimedia
Power Output	2x6 Watts	2 x 15 Watts, 1 x 30 watts	2 x 10 watts @ 1%THD	2 x 15 Watts for tweeters, 2 x 30 watts for woofers
Battery Type	AAA Battery			
Frequency Response	70Hz - 20kHz	40Hz – 20kHz	60Hz – 20kHz	40Hz – 20kHz
Input Impedance	>5k ohms	>10k Ohms	>5k ohms	>10k Ohms
Signal-to-noise Ratio	>80dB	>85dB	>85dB	>85dB
Voltage Input	100 - 230V AC	120V AC U.S.	120 V AC U.S.	120 V AC U.S.

www.echmik.com



Model	Soundsticks II
PRICE	6,995
Features	Computer-optimized multi-band parametric equalization Capacitance Touch
Specifications	
General	
Color	
Compatibility	Multimedia
Frequency Range	44Hz-20kHz
Power Consumption	4 W idle, 65 W maximum
Interface	Analog (3.5mm)
Satellite	
Transducers	(4) 1 - inch full range/chan.
Ampli. Power Output	10 W RMS per channel
Dimensions	2" diam. x 10"
Weight	1.47 pounds ≤ 0.67 kg
Subwoofer	
Woofer Size	6" (150mm)
Ampli. Power Output	20 W RMS
Dimensions	9.15" diam. x 10.16"
Weight	4.93 pounds ≤ 2.24 kg



Model	Spyro
PRICE	4,995
Features	Touch-Controls Odyssey Transducers
Technology	
Specifications	
Speaker System	
Color	
Compatibility	Multimedia
Input Impedance	>5k Ohms
Signal-to-noise Ratio	>80dB
Frequency Response	40Hz – 20kHz
Input Sensitivity	400MV RMS
Voltage Input	120V AC
Satellite	
Driver	2 Odyssey™ transducers
Power Rating	6 Watts per satellite
Dimensions	D – 3.5" H – 3.5"
Subwoofer	
Driver	1 Atlas™ transducer
Power Rating	24 Watts
Dimensions	D – 8" ; H – 5.5"

www.ecm.com



Model	Duet II	Duet III
PRICE	3,995	4,995
Features	3.5mm mini stereo input OnBoard JBL	3.5mm mini stereo input Digital amp. technology Computer-optimized equalization On/Off volume control
Technology	Phoenix Transducer JBL Amplifier	Warrior Transducer JBL Amplifier
Specifications		
General		
<i>Color</i>		
<i>Compatibility</i>	Multimedia	Multimedia
Input Impedance	>3k Ohms	>3k Ohms
Signal-to-noise Ratio		: >70dB
Frequency Response	80Hz - 20kHz	70Hz - 20kHz
Voltage Input	120V AC	
Driver	Phoenix SE transducers	Warrior
Power Output	6 Watts per satellite	10 W per satellite
Input Sensitivity		250mV for rated power
Dimensions	W - 4" D - 4" H - 10"	4.63 x 4.63 x 12.0 in.
Max. Pwr Cnsmpion		31 W

www.e-mix.com

LOGITECH SPEAKERS, HEADSETS, & MICS

last updated: December 3, 2009

Please read our Ordering & Purchasing Guide at <http://howtobuy.ecmix.com> for your reference when ordering from us.

Prices are all in Philippine Peso currency and is subject to change anytime without notice.

Product specifications and designs are subject to change anytime without notice upon the discretion of the brand manufacturer.

For your inquiries and orders, please contact E-C Mix Records at the following:

email: sales@ecmix.com | landphone: (63)(2)43.ECMIX | mobile phone: +63.917.88.ECMIX | website: www.ecmix.com

MODEL	DESCRIPTION	CASH PRICE
LOGITECH SPEAKERS		
Z-5500 DIGITAL	1 dual chamber sub, 1 ctr channel spker w/ integ ctrls, 4 satellite speakers (500W RMS total power) output/23.5W sub, 5.1W per channel) Shielded satellites for use near video mntors, w/ wireless remote THX-certified, Dolby Digital DTS decoding, headphone jack, wall mounting, analogue input, Dig. Input opt. input, Sys freq. Response: 35Hz-24kHz; Signal-noise ratio:>75dB; Input Impedance:>5,000ohms; Windows, MAC	COMING
SQUEEZEBOX	Unsurpassed sound quality: Hear the difference with 24-bit DAC, sophisticated audio rendering technology, and digital outputs. Sound clarity to please even the most demanding audiophile., Easy access to digital music:Listen to music stored on your computer, tune into Internet radio broadcasts, or browse music from online services; Win, MAC, Linux	PHP 11,900.00
G51	4 satellites, 1 center channel, 1 subwoofer; Control pod; Color-coded audio cables. PC or Mac with at least 6-channel sound capability; Windows, MAC	PHP 8,700.00
NEW! Z-2300	THX®-certified sound, 200 watts of RMS power, Deep bass, Phase-plug design, Satellites: 2.5-inch polished aluminum phase plug driver , Subwoofer: 8-inch long-throw ported driver with sixth-order bass reflex enclosure	COMING
Z10	2.0 configuration; 30 watts RMS; Touch-sensitive multimedia controls Digital music track info; Internet radio presets; USB interface; Windows/Vista compatible	PHP 5,950.00
X-540	70 WATTS rms 4 satellites, 1 center channel, 1 subwoofer; Control center; Color-coded audio cables; Game console adapter; Windows, MAC	PHP 4,500.00
X210	Total RMS power: 25 W RMS , 2 Satellites, 1 Subwoofer, Total peak power: 50 W, 48 Hz - 20 kHz, High-excursion drivers, Real-time bass equalisation,Ported down-firing subwoofer with 10.2 cm drivers	PHP 2,050.00
NEW! Z323	360-degree sound, Ported, down-firing subwoofer, Two auxiliary inputs, Integrated headphone jack, 30 watts (RMS), Windows® XP or Windows Vista® , Mac OS® X 10.3.9 or later , Sound card or 3.5 mm audio out	COMING
NEW! Z103 SPEAKER SYSTEM	2 Satellites, 1 Subwoofer,Control Pod, Total RMS power (17watts), Subwoofer (9 watts), Satellites (8watts), (4watts), (RMS) per channel), Total Peak Power (34 watts), Frequency Response (55Hz-15kHz), PC/MAC/MP3	PHP 1,250.00

NEW! S150	1.2 watts RMS, 90 Hz–20 kHz Frequency, 2-inch dynamic drivers, USB cable (1.20), Notebook via USB, Amber LED	PHP 770.00
S100	BLK/WHITE 2.6 Watts RMS Simple and compact, Internal power supply in Right Channel Speaker, Power and Volume Buttons, Headphone jack (WHITE or BLACK)	PHP 650.00

LOGITECH SPEAKER FOR IPOD






Pure-Fi Anytime™	The perfect nightstand companion. The alarm clock for iPod® or iPhone™ works with a wave of a hand. Supports iPhone and all iPod models with dock connector, Supports 1st generation through 3rd generation iPod models (and other portable music players) via 3.5 mm auxiliary input, Motion-activated backlighting, Digital AM/FM radio	PHP 5,100.00
Pure-Fi Anywhere	Portable iPod® and iPhone™ speakers that let you enjoy clear sound and maximum bass anywhere Supports iPhone and all iPod models with dock connector, Supports 1G-3G iPod models (and other portable music players) via 3.5 mm auxiliary input	OUT OF STOCK
Audio Station	80 watts RMS, Digital AM/FM Radio; Advance remote control; Touch sensitive; backlit controls; Ideal for iPod mini,4G/5G, Video, Color, Built in charger	PHP 8,600.00
Pure-F1 Anywhere	Supports all iPod models with dock connector (including iPod nano and iPod with video) , Supports 1G and 3G iPod models (and other portable music players) via 3.5mm auxiliary input	OUT OF STOCK
Pure-Fi Dream	Rich acoustics, Auto-dimming display, Motion-activated backlighting, StereoXL™ technology, Backlit remote control, Dual alarm with snooze, Speaker dock for iPod®/iPhone, Song title display, iPod®, iPhone™ and radio presets	OUT OF STOCK

LOGITECH HEADSETS



NEW!! H165 NOTEBOOK NOISE FILTERING MIC HEADSET	3.5 mm jack (for PCs, MP3 players and DVD players)/ Frequency response: Headset: 20-16,000 Hz, Microphone Frequency Response: 100-10,000 Hz	PHP 910.00
CLEARCHAT PRO USB HEADSET	Digital streaming audio, stereo sound,noise-cancelling mic,mini-boom mic, cord-mounted controls,windows,macintosh OS,USB plug,	PHP 2,550.00
CLEARCHAT COMFORT USB HEADSET	Frequency response: USB port, Headset: 20 Hz–20 kHz, Microphone: 100 Hz–10 kHz, Input sensitivity: -62 dBV/μbar, -42 dBV/Pa +/- 3 dB, Cable length: 8 feet,Connections: USB compatible (1.1 and 2.0); Windows, MAC	PHP 2,000.00
CLEARCHAT STYLE	Stereo sound, mute button, vol control, noise canceling, 3.5mm jack, BLACK; Windows	PHP 1,000.00
CLEARCHAT PREMIUM PC HEADSET	3.5mm Plug; Swing-Out Microphone; Rubberized Headband; Inline Controls; Windows; Analog jack	PHP 900.00

SENNHEISER HEADPHONES AND EARPHONES

CLASSIC EARPHONES

				
Model	MX-250	MX-300	MX-350	MX-350 PINK
Features	<ul style="list-style-type: none"> ▶ Sennheiser sound protection system ▶ Impedance: 32W ▶ Frequency response: 19-20,000 Hz ▶ THD: ≤1% 	<ul style="list-style-type: none"> ▶ Exceptionally powerful sound ▶ Impedance: 32W ▶ Frequency response: 18-20,000 Hz ▶ THD: ≤1% 	<ul style="list-style-type: none"> ▶ Sennheiser basswind system ▶ Impedance: 16W ▶ Frequency response: 18-21,000 Hz ▶ THD: ≤1% 	<ul style="list-style-type: none"> ▶ Sennheiser basswind system ▶ Impedance: 16W ▶ Frequency response: 18-21,000 Hz ▶ THD: ≤1%
PRICE	Php 500	Php 550	Php 600	Php 600
				
Model	MX-400	MX-450	MX-500	MX-500 WHITE
Features	<ul style="list-style-type: none"> ▶ Sennheiser basswind system ▶ Impedance: 32W ▶ Frequency response: 18-20,000 Hz ▶ THD: ≤1% 	<ul style="list-style-type: none"> ▶ Sennheiser basswind system ▶ Impedance: 16W ▶ Frequency response: 18-21,000 Hz ▶ THD: <1% 	<ul style="list-style-type: none"> ▶ In-line volume control and case w/ cord winder ▶ Impedance: 32W ▶ Frequency response: 18-22,000 Hz ▶ THD: <1% 	<ul style="list-style-type: none"> ▶ In-line volume control and case w/ cord winder ▶ Impedance: 32W ▶ Frequency response: 18-22,000 Hz ▶ THD: <1%
PRICE	Php 700	Php 800	Php 1,100	Php1,300




HEADPHONES 200 SERIES

			
Model	HD-201	HD-205	HD-215
Features	<ul style="list-style-type: none"> ▶ Lightweight and comfortable ▶ Impedance: 24Ω ▶ Frequency response: 18-19,000 Hz ▶ THD: <0.5% 	<ul style="list-style-type: none"> ▶ Rotating earpiece for one-ear DJ monitoring ▶ Impedance: 32Ω ▶ Frequency response: 14-20,000 Hz ▶ THD: <0.5% 	<ul style="list-style-type: none"> ▶ Rotating earpiece and single-sided, coiled cable ▶ Impedance: 32Ω ▶ Frequency response: 12-22,000 Hz ▶ THD: <0.2%
PRICE	Php 1,300	Php 2,800	Php 4,300



HEADPHONES

HEADPHONES 400 SERIES





HEADPHONE 500 SERIES

			
Model	HD-415	HD-435	HD-555
Features	<ul style="list-style-type: none"> ▶ Cord winder to adjust cable length ▶ Impedance: 32Ω ▶ Frequency response: 18-19,000 Hz ▶ THD: <0.5% 	<ul style="list-style-type: none"> ▶ Convenient in-line volume control ▶ Impedance: 32Ω ▶ Frequency response: 18-19,500 Hz ▶ THD: <0.3% 	<ul style="list-style-type: none"> ▶ Designed for surround-sound music and video ▶ Impedance: 50Ω ▶ Frequency response: 15-28,000 Hz ▶ THD: <0.2%
PRICE	Php 2,600	Php 3,500	Php 6,300

WIRELESS HEADPHONES





		
Model	RS-110	RS-120
Features	<ul style="list-style-type: none"> ▶ Simple, intuitive operation ▶ Frequency response: 22-19,500 Hz ▶ THD: <0.7% 	<ul style="list-style-type: none"> ▶ Integrated storage and recharge function ▶ Frequency response: 22-19,500 Hz ▶ THD: <0.7%
PRICE	Php 4,600	Php 6,000














HEADPHONES PX SERIES

				
Model	PMX-40	PMX-100	PX-100	PX-100 WHITE
Features	<ul style="list-style-type: none"> ▶ Comfortable neckband design ▶ Impedance: 24Ω ▶ Frequency response: 20-20,000 Hz ▶ THD: <1% 	<ul style="list-style-type: none"> ▶ Extremely transparent sound ▶ Impedance: 32Ω ▶ Frequency response: 15-27,000 Hz ▶ THD: <0.1% 	<ul style="list-style-type: none"> ▶ Unique folding design with stylish hard case ▶ Impedance: 32Ω ▶ Frequency response: 15-27,000 Hz ▶ THD: <0.1% 	
PRICE	Php 1,500	Php 2,600	Php 3,000	Php 3,000

NOISEGARD HEADPHONES

SPORTS SERIES

			
---	---	---	---

				
Model	PXC-150	PXC-300	PXC-450	MX-70 VC SPORT
Features	▶ Includes adaptor for airplane use ▶ Impedance: 300W ▶ Frequency response: 15-21,000 Hz ▶ THD: <0.2%	▶ Active noise cancelling Noisegard™ Adv ▶ Impedance: 300W ▶ Frequency response: 8-21,500 Hz ▶ THD: <0.1%	▶ Active noise cancelling Noisegard™ 2.0 ▶ Impedance: 150/750W ▶ Frequency response: 8-28,000 Hz ▶ THD: <0.1%	▶ Magnetic surfaces ▶ Impedance: 64W ▶ Frequency response: 18-21,000 Hz ▶ THD: <0.1%
PRICE	Php 6,500	Php 8,800	Php 22,600	P 2,000
				
Model	CX-300 BLACK	CX-300 SILVER	CX-300 WHITE	MXL-70 VC SPORT
Features	▶ Blocks outside noise ▶ Impedance: 150/750Ω ▶ Frequency response: 25-21,000 Hz ▶ THD: <0.5%			▶ With lanyard and volume control
PRICE	Php 5,300			Php 2,300
EARPHONES STREET SERIES				
				
Model	MXL-51 STREET	MX-55 STREET	MX-55 VC STREET	OMX-70 SPORT
Features	▶ With lanyard ▶ Impedance: 64W ▶ Frequency response: 19-21,000 Hz ▶ THD: <0.1%	▶ Twist-to-fit, deep base ▶ Impedance: 64W ▶ Frequency response: 17-21,000 Hz ▶ THD: <0.1%	▶ Twist-to-fit, deep base, with volume control ▶ Impedance: 64W ▶ Frequency response: 17-21,000 Hz ▶ THD: <0.1%	▶ Adjustable earhooks
PRICE	Php1,169 Php 1,300	Php 1,500	Php 2,300	Php 2,500
				
				PMX-70 SPORT
				▶ Ergonomic Neckband
PRICE				Php 2,800

Please read our Ordering & Purchasing Guide at <http://howtobuy.ecmix.com> for your reference when ordering from us.

Prices are all in Philippine Peso currency and is subject to change anytime without notice.

Product specifications and designs are subject to change anytime without notice upon the discretion of the brand manufacturer.

For your inquiries and orders, please contact E-C Mix Records at the following:

email: sales@ecmix.com | landphone: (63)(2)43.ECMIX | mobile phone: +63.917.88.ECMIX | website: www.ecmix.com